



App Central: Developer's Guide

For APKG 2.0

Revision: 2.0.0

Update: Aug 1, 2013



Table of Content

1	System Requirements.....	3
1.1	Build Machine	3
1.2	Target Machine	3
2	About APKG	4
2.1	Getting Started.....	4
2.2	config.json: general.....	4
2.3	config.json: adm-desktop.....	5
2.3.1	app	5
2.3.2	privilege	6
2.4	config.json: register.....	7
3	Building Your App	9
3.1	Prepare Your Package Source	9
3.1.1	CONTROL	9
3.2	Utilities for Building Apps.....	10
3.2.1	Packing an App.....	10
3.3	Final App Structure	11
4	Appendix.....	12
4.1	APKG State Transition Diagram.....	12
4.2	Script Environment Variables.....	12
4.3	Best Practice.....	13
4.3.1	Web Apps (phpMyAdmin)	13
4.3.2	Custom Apps (DVBLink)	17



1 System Requirements

1.1 Build Machine

1. Ubuntu 12.10 (recommended), 64-bit
2. Other OS (Windows, Mac OS, etc.)
3. asustor cross compiler toolchain (AS-3XX, AS-6XX)
4. Bourne Shell
5. Python 2.7
6. Text editor (vim, gedit, eclipse, etc.)

1.2 Target Machine

Product Series	AS-6XX	AS-3XX
CPU	Intel Atom D27XX	Intel Atom SoC CE53XX
Architecture	x86-64	x86-32
Kernel	Linux	Linux
Shell	BusyBox v1.19.3	BusyBox v1.19.3
LAMP	Apache 2.2.22 MySQL 5.5.20 PHP 5.3.16	Apache 2.2.22 MySQL 5.5.20 PHP 5.3.16
App Central system path	/usr/local/ ¹	/usr/local/ ²
App repository	/usr/local/AppCentral/ ³	/usr/local/AppCentral/ ⁴
App home	/usr/local/AppCentral/\$APP_NAME	/usr/local/AppCentral/\$APP_NAME

¹ Default system folder: /usr/local/{usr/local/{bin,etc,lib,lib64,sbin,tmp}}

² Default system folder: /usr/local/{usr/local/{bin,etc,lib,lib64,sbin,tmp}}

³ Files should only be copied to the \$APP directory. If you need to place files in other locations, you may use a soft link and link the files under /usr/local/.

⁴ Files should only be copied to the \$APP directory. If you need to place files in other locations, you may use a soft link and link the files under /usr/local/.



2 About APKG

APKG is a package management system for developing and managing ASUSTOR NAS apps. Different APKG versions may have different APK (ASUSTOR application package file) formats, therefore, using the correct build tool/script is very important before building any apps.

2.1 Getting Started

Before building your own apps, there is one thing you must know – config.json. It is the fundamental of each app which contains the necessary information about your app and the required environment for installation. The configurations have been divided into three categories (app, desktop and install) in config.json, and we will explain them in the next three sections respectively.

Please see section [4.3 Best Practice](#) for the examples of config.json.

Name	Description
general	This section contains the information about the package and will be displayed in App Central.
adm-desktop	Optional. This section defines the type of this app.
register	Optional. This section is used for installation.

2.2 config.json: general

This section defines the basic information of this app.

Key	Description	Type	Note
general	App information section.	Object	
package	This is the package name. It is used to distinguish between different apps. It must be a unique name.	String	
name	The app name which will be displayed in App Central.	String	
version	The version of this package.	String	
depends	The dependent package list of this package. Before a package is being installed or upgraded, these packages must be installed first.	Array(String)	<ol style="list-style-type: none">1. A2. B (≥ 1.0)3. C (≤ 2.0)4. D (= 1.5)5. E ($\geq 1.0, \leq 2.0$)

conflicts ⁵	(RESERVED) Not used.	Array(String)	
developer	Name of developer.	String	
maintainer	Name of maintainer.	String	
email	Your email address.	String	
website	Your website or any associated links.	String	
architecture ⁶	This is used to identify the platform.	String	x86-64 / i386 / any
firmware	Require firmware version.	String	2.0

Note:

1. All words are case sensitive.

2.3 config.json: adm-desktop

This section is used to define the type of this app and its default privileges. There are two major objects in this section: icon & privilege

Key	Description	Type	Note
adm-desktop	Icon and privilege settings section.	Object	
app ⁷	ADM desktop icon settings.	Object	
privilege ⁸	App privilege settings.	Object	

2.3.1 app

This object defines the type of the app and currently there are four types of apps. They are: **internal**, **external**, **webserver**, and **custom**. Please note that both “**internal**” & “**external**” are reserved for ASUSTOR in-house development. Most 3rd party developers will use “**webserver**” & “**custom**”.

2.3.1.1 Type: Web Apps

Web Apps are for common web applications such as **phpMyAdmin** and **WordPress**. It runs on the system built-in Apache web server. This will potentially be used by 3rd party maintainers or developers. Here is an example of this kind of App:

```
"app":{
  "type":"webserver"
```

⁵ Leave the field empty.

⁶ If your App is common web applications (php, html), use 'any' for architecture.

⁷ There are four types so far, they are: internal, external, webserver, customize. Each type has its own format.

⁸ This is used to define the default permission of this app.

},

Key	Description	Type	Note
app	ADM desktop icon settings	Object	
type	The type for this app	String	

2.3.1.2 Type: Custom Apps

Most 3rd party developer will use this. You can run your own web server, define the protocol, port and URL. Here is an example of this kind of App:

```
"app":{
  "type":"custom",
  "protocol":"http",
  "port": 39876,
  "url": "/"
}
```

Key	Description	Type	Note
app	ADM desktop icon settings	Object	
type	The type for this app	String	
protocol	The network protocol	String	http / https
port	The port number	Integer	
url	The URL of your web page	String	

2.3.2 privilege

Key	Description	Type	Note
accessible	You can define the group(s) which will be able to use this app by default. [users] represents all system users while [administrators] represents the specific user(s) who have the administration rights.	String	
customizable	This determines if the access rights to this app can be modified in [Access Control] -> [App Privilege]. For	Boolean	

	example, if “accessible” is set to “administrators”, but you would like to allow another non-administrator user to access the app, then you should use “true” here.		
--	---	--	--

Note:

1. All words are case sensitive.
2. “privilege” will not be able to restrict access to web applications since most of them have their own account system. It only can be used to determine whether the desktop icon is visible or invisible to users.

2.4 *config.json: register*

```
"register":{
  "symbolic-link":{
  },
  "share-folder":[
    {
      "name":"Download",
      "description":"Download default shared folder"
    }
  ],
  "port":[
    "9999",
    "55555"
  ],
  "boot-priority":{
    "start-order":20,
    "stop-order":80
  },
  "prerequisites":{
    "enable-service":[],
    "restart-service":[]
  }
}
```

Key	Description	Type	Note
register	Install settings section	Object	
symbolic-link	The link used for create soft link to /usr/local folder in this App.	Object	/bin, /etc, /lib, /lib64, /sbin, /var
share-folder	This is where you can define the default directories (shared folders) for this app. These directories will be created automatically while installing this app, and if the specified directory already exists, the app will ignore this and just use the directory.	Array(Object)	
name	The name of this share.	String	
description	The description of this share.	String	
port	Port numbers of service used.	Array(Integer)	
boot-priority	Priority of service start-stop.	Object	
start-order	Service start with script: S{\$PRIORITY}{\$APP_NAME}.	Integer	00 ~ 99
stop-order	Service stop with script: K{\$PRIORITY}{\$APP_NAME}.	Integer	00 ~ 99
prerequisites	After the package was installed or upgraded, these services must start or restart.		1. samba
enable-service	These services must be started or enabled.	Array(String)	2. afp
restart-service	These services must be restarted.	Array(String)	3. nfs
			4. ftp
			5. webdav
			6. httpd
			7. mysql

Note:

1. All words are case sensitive.
2. All keys of above are optional.

3 Building Your App

In this chapter, we will introduce the package source structure, utilities for building apps, and final app structure.

3.1 Prepare Your Package Source

Your package source should contain at least one folder – CONTROL. You can also add self-defined folders to store other files, such as www, lib, etc.

Folder Name	Description
CONTROL ⁹	This folder is used to store some necessary files, such as config.json, icons and scripts. Please refer to 3.1.1 CONTROL for more details.
www	Optional. This folder is for common web applications (php, html) which need to be run on a web server such as phpMyAdmin and Joomla!. (Apache comes with ADM and can be found under [Services] -> [Web Server]) This is where the source files will be placed.
(OTHERS) ¹⁰	Self-defined folders, such as bin, etc, lib, lib64, etc. You are free to define any new folders here.

Note:

1. The CONTROL folder name is case sensitive.

3.1.1 CONTROL

This folder is used to store app information, configuration, icons and other hook scripts. Please see the chart below.

File Name	Description	File Type
config.json	This file contains the information displayed in App Central and setting environment in the installation process.	JSON file
icon.png	90 x 90 pixels in PNG format, which is shown in App Central and used for ADM ¹¹ desktop Icon.	PNG image, transparent
description.txt	The general description of the app.	Text file
changelog.txt	The change log of this revision.	Text file

⁹ This folder is used to store app information, configuration, icons and other hook scripts.

¹⁰ There are also other default folders such as bin, etc, lib, lib64, etc. You are free to define any new folders here.

¹¹ ASUSTOR Data Master, Web Desktop UI.

license.txt	Optional. This file is shown in the installation process.	Text file
pre-install.sh	Optional. This hook script which is executed before installation.	Bourne shell script
pre-uninstall.sh	Optional. This hook script which is executed before uninstalling / upgrading.	Bourne shell script
post-install.sh	Optional. This hook script which is executed after installation / upgrading.	Bourne shell script
post-uninstall.sh	Optional. This hook script which is executed after uninstalling.	Bourne shell script
start-stop.sh	Optional. The init.d script to start and stop an app. This script is for daemon App, it will be executed automatically after booting or before power off.	Bourne shell script

Note:

1. All file names are case sensitive and fixed.
2. These files are necessary:
 - a. config.json
3. The hook scripts will be executed if available, or you can just ignore this.

3.2 Utilities for Building Apps

Here is the Linux script which can help you to build your own app.

3.2.1 Packing an App

Usage:

```
apkg-tool.py <pkg_directory> [<destination_directory>]
```

Example:

```
root@build-machine:/as_build/apk# apkg-tool.py create download-center
```



3.3 Final App Structure

After executing the `apkg-toos.py` script, all source folders and files (as in [3.1 Prepare Your Package Source](#)) will be compressed, and an app with the name **`PACKAGE_VERSION_ARCHITECTURE.apk`** will be generated automatically.

To check your app structure, you can decompress the apk file with `uzip`. You should then be able to see the following files in the apk.

File Name	Description	File Type	Mandatory
<code>apkg-version</code>	This file specifies the version of the apk format.	Text file	Yes
<code>control.tar.gz</code>	This is a compressed file in <code>.tar.gz</code> format containing all the files that are required for configuration and display, such as configuration files, icons, license, daemon control file, or hook scripts.	Gzipped tarball	Yes
<code>data.tar.gz</code>	This is a compressed file in <code>.tar.gz</code> format containing all source files, such as executable binary, library, or UI files.	Gzipped tarball	Yes


Note:

1. `apkg-version` file contents¹²:
2.0
2. Package name format:
`PACKAGE_VERSION_ARCHITECTURE.apk`

¹² Apkg version 1.0 is currently in use.

4 Appendix

4.1 APKG State Transition Diagram



* comes from the currently installed package.

4.2 Script Environment Variables

Several variables are exported by App Central and can be used in the scripts. Descriptions of these variables are given below:

Variable Name	Description
AS_NAS_ARCH	The type of CPU architecture.
AS_NAS_KERNEL	The version of NAS kernel.
AS_NAS_MODEL	The name of NAS model.
AS_NAS_FIRMWARE	The version of NAS firmware.
AS_NAS_HOSTNAME	The hostname of NAS.
AS_NAS_TIMEZONE	The time zone setting of NAS.
AS_NAS_INET4_ADDR_0	The IPv4 address of first network interface card.
AS_NAS_INET4_ADDR_1	The IPv4 address of second network interface card.
APKG_BASE_DIR	App Central system root.
APKG_REPO_DIR	Apps repository directory.
APKG_PKG_NAME	The package name of App which is defined in config.json.
APKG_PKG_VER	The version of App which is defined in config.json.
APKG_PKG_INST_VER	The version of App which has been installed on App Central.
APKG_PKG_DIR	App directory in which the package is stored.
APKG_PKG_STATUS	Package status can be represented by these values: install, upgrade, uninstall.
APKG_TEMP_DIR	App Central randomly generates a dir name for a script to store the configuration.

Note:

1. All words are case sensitive.

4.3 Best Practice

Below are the samples of its config.json, source layout and package layout.

4.3.1 Web Apps (phpMyAdmin)

4.3.1.1 Configuration – config.json

```
{
  "general": {
    "website": "http://www.phpmyadmin.net/",
    "maintainer": "ASUSTOR",
    "name": "phpMyAdmin",
    "package": "phpmyadmin",
    "firmware": "2.0",
    "depends": [],
```



```
"version": "4.0.1",
"architecture": "any",
"conflicts": [],
"email": "support@asustor.com",
"developer": "http://www.phpmyadmin.net/"
},
"adm-desktop": {
  "privilege": {
    "accessible": "users",
    "customizable": true
  },
  "app": {
    "type": "webserver"
  }
},
"register": {
  "symbolic-link": {},
  "boot-priority": {},
  "share-folder": [],
  "port": [],
  "prerequisites": {
    "enable-service": [
      "httpd",
      "mysql"
    ],
    "restart-service": []
  }
}
```

4.3.1.2 Package Source Layout

Below is the package layout of phpMyAdmin. You can use the attached **apkg-tools.py** Linux script to build your own app automatically.

```
phpMyAdmin_4.0.1_any/
├── CONTROL/
│   ├── config.json
│   ├── description.txt
│   └── icon.png
```

└── www/

- ├── browse_foreigners.php
- ├── ChangeLog
- ├── changelog.php
- ├── chk_rel.php
- ├── composer.json
- ├── config.sample.inc.php
- ├── db_create.php
- ├── db_datadict.php
- ├── db_events.php
- ├── db_export.php
- ├── db_import.php
- ├── db_operations.php
- ├── db_printview.php
- ├── db_qbe.php
- ├── db_routines.php
- ├── db_search.php
- ├── db_sql.php
- ├── db_structure.php
- ├── db_tracking.php
- ├── db_triggers.php
- ├── doc/
- ├── examples/
- ├── export.php
- ├── favicon.ico
- ├── file_echo.php
- ├── gis_data_editor.php
- ├── import.php
- ├── import_status.php
- ├── index.php
- ├── js/
- ├── libraries/
- ├── LICENSE
- ├── license.php
- ├── locale/
- ├── navigation.php
- ├── phpinfo.php
- ├── phpmyadmin.css.php



- |—— phpunit.xml.nocoverage
- |—— pmd_display_field.php
- |—— pmd_general.php
- |—— pmd_pdf.php
- |—— pmd_relation_new.php
- |—— pmd_relation_upd.php
- |—— pmd_save_pos.php
- |—— prefs_forms.php
- |—— prefs_manage.php
- |—— print.css
- |—— querywindow.php
- |—— README
- |—— RELEASE-DATE-4.0.1
- |—— robots.txt
- |—— schema_edit.php
- |—— schema_export.php
- |—— server_binlog.php
- |—— server_collations.php
- |—— server_databases.php
- |—— server_engines.php
- |—— server_export.php
- |—— server_import.php
- |—— server_plugins.php
- |—— server_privileges.php
- |—— server_replication.php
- |—— server_sql.php
- |—— server_status_advisor.php
- |—— server_status_monitor.php
- |—— server_status.php
- |—— server_status_queries.php
- |—— server_status_variables.php
- |—— server_variables.php
- |—— setup/
- |—— show_config_errors.php
- |—— sql.php
- |—— tbl_addfield.php
- |—— tbl_change.php
- |—— tbl_chart.php



- |—— tbl_create.php
- |—— tbl_export.php
- |—— tbl_get_field.php
- |—— tbl_gis_visualization.php
- |—— tbl_import.php
- |—— tbl_indexes.php
- |—— tbl_move_copy.php
- |—— tbl_operations.php
- |—— tbl_printview.php
- |—— tbl_relation.php
- |—— tbl_replace.php
- |—— tbl_row_action.php
- |—— tbl_select.php
- |—— tbl_sql.php
- |—— tbl_structure.php
- |—— tbl_tracking.php
- |—— tbl_triggers.php
- |—— tbl_zoom_select.php
- |—— themes/
- |—— themes.php
- |—— transformation_overview.php
- |—— transformation_wrapper.php
- |—— url.php
- |—— user_password.php
- |—— version_check.php
- |—— view_create.php
- |—— view_operations.php
- |—— webapp.php

4.3.2 Custom Apps (DVBLink)

4.3.2.1 Configuration – config.json

```
{  
  "general": {  
    "package": "dvblink-server",  
    "name": "DVBLink TV Server",  
    "version": "4.5.3",  
    "depends": [],
```



```
"conflicts": [],
"developer": "http://www.dvblogic.com/"
"maintainer": "DVBLLogic",
"email": "info@dvblogic.com",
"website": "http://www.dvblogic.com/",
"architecture": "x86-64",
"firmware": "2.0",
},
"adm-desktop": {
  "app": {
    "url": "/",
    "protocol": "http",
    "type": "custom",
    "port": 39876
  },
  "privilege": {
    "accessible": "",
    "customizable": true
  }
},
"register": {
  "symbolic-link": {
  },
  "share-folder": [
    {
      "name": "DVBLink",
      "description": "DVBLink share"
    }
  ],
  "port": [
    39876,
    8100,
    8101
  ],
  "boot-priority": {
    "stop-order": 80,
    "start-order": 20
  }
},
```



```
    "prerequisites": {  
        "enable-service": [],  
        "restart-service": []  
    }  
}
```

4.3.2.2 Package Source Layout

Below is the package layout of DVBLink. You can use the attached **apkg-tools.py** Linux script to build your own app automatically.

DVBLink TV Server_4.5.3_x86-64/

```
|—— bin/  
| |—— common/  
| |—— config/  
| |—— dvblink_install*  
| |—— dvblink_reg*  
| |—— dvblink_server*  
| |—— isrun.sh*  
| |—— lib/  
| |—— licenses/  
| |—— packages/  
| |—— reg.sh*  
| |—— sinks/  
| |—— sources/  
| |—— start2.sh*  
| |—— start.sh*  
| |—— stop.sh*  
| |—— templates/  
| |—— unzip*  
| |—— version.dat  
| |—— web_server/  
|—— CONTROL/  
|—— changelog.txt  
|—— config.json  
|—— description.txt  
|—— icon.png  
|—— license.txt
```



- |—— post-install.sh*
- |—— pre-install.sh*
- |—— pre-uninstall.sh*
- |—— start-stop.sh*